

extensia

A stylized white graphic on a red background, resembling a sign system component. It features a horizontal line with a hook at the right end. Below this line, a vertical line descends and then curves back up to meet the horizontal line, forming a bracket-like shape. A small semi-circular hook is positioned below the vertical line.

**SIGN SYSTEMS
GUIDE BOOK 2017**

From Conception To Installation

Request: A request for a quote is preferred via Email where any available specifications can be attached for review. Quotes are normally answered in just a few hours or less. Alternatively you may call the toll free number below. Phone: 1-866-275-1996 Email: sales@extensiasign.com

Requests are entered into the system and a quote will be produced & will be emailed or faxed back to you.

Quote: "Your order", a break down of what each sign type is supplied including frame style, accessories & colours. **Shipping may be estimated but due to unforeseen variables cost of shipping cannot be guaranteed.**

Sign Back: After approval of your quote is finalized please sign your copy and either fax or email it back to us. **It is your responsibility to review the order carefully, ensuring colours and sizes are accurate.**

Order: The sign back becomes an Order and is put into Production.

Our production team will make every effort to have your order out within 10 days (or sooner) from sign back to shipping.

Shipping: Cost of shipping and duration is not guaranteed. eXtensia will make every effort to minimize this cost.

Invoicing: Invoices are printed at time of shipping which will include a shipping fee. **Large orders or specialty orders may require a 50% deposit. Terms of payment, if arranged, are net 30 days. All other orders are C.O.D. We accept Master Card, Visa, cheque & E-Transfer or electronic funds**

Return Policy: All custom cut orders are the sole responsibility of the purchaser. **Custom cut orders are NON-RETURNABLE.** There is a **25% Re-Stocking Fee** for all **STANDARD** returns.

eXtensia International Systems Inc.
41 Proton St. S.
P.O. Box 760, NOC 1B0
Dundalk, Ontario, Canada

toll free : 1-866-275-1996
phone : 1-519-923-3883

For More Information:
sales@extensiasign.com

Check us out on the web:
www.extensiasign.com

Pavilion A		Pavilion B	
100 Consultant	100	Bridge, Libran & ass.	100
200 Bill	200	Carroo	200
300 Level & ass.	300	Canadian Paper	300
400 Creative Board	400	NGF Foods	400
500 Metal Design	500	NG Branding	500
600 Communication Design	600	CG/L	600
	700		700
	800		800
	900	NGF Placement	900



Choosing Your Sign System

Does not have to be complicated!


SIGN
SYSTEMS



Pc



Estiva



Infinity



Stanly



Simple Snap



Post & Panel



Pylons



225

Braille & Tactile




Logo & Letter Sets

Table of Contents

INFINITY

STANLY




Available in different sizes
up to 600mm (23.68")









2	
BROWN	101
CAMBEC	201
AMENTI INC	301
STEEL CANADA	401
TEL BEC	402
INTER-NATIONAL	501
NUTRI-SANTÉ	502
	601

Available with separators



Available with a
bracket black or grey




-  pc40
-  pc60
-  pc80
-  pc100
-  pc120
-  pc150
-  pc200
-  pc-Letter
-  pc11
-  pc300
-  pc14
-  pc400
-  pc17
-  pc500
-  pc22
-  pc600
-  pc700
-  pc800
-  pc900
-  pc1000
-  pc1100
-  pc1200

Portrait / Landscape

Portrait - Curve runs left to right.

When building your sign in portrait format, decide what extrusion fits your needs, sign can be as tall as required.



Extrusion is silver or black anodized.
Can be custom painted to match your design needs



Landscape - Curve runs top and bottom.
When building your sign in landscape format it can be as long as the extrusion (145")

Custom Colours



eXtensia wants you to use your imagination.

Any colour you can dream up we can customize your sign system


For more ideas check out the galleries on our website:

www.extensiasign.com



Wall Signs

Wall Signs consists of 1 piece of extrusion and 2 standard plastic or aluminum end caps. Signs can be attached **portrait** or **landscape** format. Aluminum end caps are painted standard **black** or **silver**. Plastic end caps are stocked in **black & grey**. Custom colours available.




Options


Mounting Holes: 2 holes drilled through extrusion at opposite ends of sign. Holes are drilled through curved portion of sign and hidden behind your graphics. This is a no charge option available on request but recommended for signs larger than 12" x 12".
Actual Hole Size: Top: 1/2" Drill Space, **Bottom:** 1/4" Screw Hole



Double Sided Tape: Foam Tape runs the length of sign back. Perfect for attaching signs to doors, walls or any other permanent location.




Mounting Tape





Magnetic Tape: Attached to back of extrusion along outside edges and tested to ensure strength. Perfect for attaching signs to filing cabinets or other metal surfaces.

Magnetic Tape



Double Sided Suspended

Double Sided Suspended are assembled back to back with suspension cables running between them. Signs can be hung in landscape for portrait format, single or multi-tier



Single Sided Suspended

Single Sided Suspended signs are made by using 1/16" steel cable that is fed through the signage cap and clamped inside to leave a clean back.

Swag 
Dimension: 1/4" x 25/64
Weight: per 1000' = 0.033

Cable
Dimension: 1/16" x 36"+
Weight: per 100' = 0.75lbs
Breaking Strength: 480lbs

Desk Top



Econo

Econo Desk Toppers consists of 1 **aluminum table stand** and 2 **plastic or aluminum end caps** of your choice.

These Desk Toppers can be built in landscape or portrait format.

Econo Desk Toppers can be built with magnetic tape or double sided tape for a more permanent application
Custom colours available.

Econo Table Stand




Kangaroo

Kangaroo Desk Top Signs consists of 1 **aluminum 'Kangaroo' end cap** and 1 **standard plastic or aluminum end cap** of your choice.

With a **Kangaroo Sign** the curve runs left to right in portrait format.



Boomerang



Winged Style Desk Top Signs consist of 2 aluminum 'Wing' shaped end caps.

With a **Wing Style Sign** the curve will run top to bottom of your sign in landscape format.

End caps are painted standard black or silver
Custom colours available.

Triangle

Triangle Desk Top Signs consist of 2 aluminum 'Triangle' shaped end caps.

A **Triangle Desk Top Sign** can rest along both end caps with the curve running top to bottom (landscape) or stand up on 1 end cap with curve running left to right (portrait).




End caps are painted standard black or silver.
Custom colours available.



Directories with Divider Strips

A **Directory** built with **divider strips** (or any combination of signs grouped together with **divider strips**) is designed to create a **wayfinding system**.

Divider strips are 1/16" thick & can be custom coloured to fit your design requirements as can all components of our sign systems.



Octolux inserts are a sharp way to create a sleek durable directory.


Octolux is a thin aluminum sheet that is anodized for durability and perfect for applying your vinyl lettering to.

Octolux is available in a brushed aluminum or clear anodized finish.



Directories built by Grouping Signs


Directories can also be built by grouping signs together. This format requires no divider strips and each insert can still be conveniently changed out for a new insert.



For an eye catching change, consider creating directories in portrait format.



Adjustable Hanger





Adjustable Hangers can be attached to a variety of sizes or styles of signs.

Adjustable Width Design


The larger side of the extrusion is 2.5" with the smaller side at 1.5" in height. Signs can be attached to either side depending on the application.

eXtensia recommends tapping the extrusion to lock it into position once the desired width is set.




Slider

Frame has sliding lens to show/hide text.
 Typical **sliders** run along the rails of the extrusion profile.
 Image shown is in a **landscape** format.



Slider Directory

System is built using a 'PETG' matte non-glare insert and a slider lens to move along the curve.
 These frames are intended to be **portrait** format. Infinity & Stanly frames only.



Tamper-Proof Slider

System is built using a 'Tamper-Proof' metal end cap to allow a **slider** lens to move along the curve.
 These frames are intended to be **portrait** format.



Tamper-Proof end cap

Occupancy Sliders

Flag Sign


Flag Signs consist of **1 small top end cap** that covers both pieces of extrusion and **1 base** that mounts to the wall. Extrusion is cut to length. Flag Signs are double sided and landscape format.



Econo Wall Bracket

An **Econo Wall Bracket** is completely extruded from anodized aluminum and customized to your needs. 2 mounting holes are drilled out on opposite sides at opposite ends of the **Econo Bracket**



Signage is attached single or double sided to wall brackets in portrait or landscape format.



Length of the **Econo Bracket** can be altered based on your needs

Standard Wall Bracket

Standard Wall Brackets attach to the wall with 2 mounting holes directly opposing each other.




Signs are attached single or double sided to wall brackets in portrait or landscape format.

End caps are painted standard black or silver. Custom colors are available. Portrait format.



Deluxe Wall Bracket

Deluxe Wall Brackets are **Standard Wall Brackets** that are drilled out to fit on the Deluxe Base, Signs are attached single or double sided wall bracket in portrait or landscape format.




Standard Brackets are set over a deluxe base and capped with a plastic nut for a sleek finished look.

Arrow

Arrow Protruding Signs consist of 2 aluminum 'Arrow' shaped end caps.


4 Keyhole Mounting Holes allow fast and easy installation.



End caps are painted standard black or silver.
Custom colors are available.
Portrait format.

Bird House

Bird House Protruding Signs consist of 2 Signs mounted to a 'Bird House Shaped Wall Bracket'. Brackets are then screwed or bolted to the wall. Signs are mounted to brackets in portrait format. End caps are painted standard black or silver.



Bow Tie

Bow Tie Protruding Signs consist of 2 aluminum 'Bow Tie' shaped end caps.



Brackets are mounted to wall with keyholes or can be screwed to the wall first installing frames in portrait format after, End caps are painted standard black or silver. Custom colors are available.



PC INSERT & FRAME SIZES

Extrusion Style	Insert Size	PC 	Estiva 	Infinity 	Stanly 	Extrusion Style
40	1.45"/37mm	1.57"	NA	NA	NA	40
60	2.26"/58mm	2.36"	2.94"	2.75"	2.75"	60
80	3.05"/78mm	3.14"	3.72"	3.54"	3.54"	80
100	3.88"/98mm	3.93"	4.51"	4.41"	4.41"	100
120	4.61"/117mm	4.72"	NA	5.12"	5.12"	120
150	5.78"/147mm	5.90"	6.78"	6.3"	6.3"	150
200	7.72"/196mm	7.87"	8.75"	8.27"	8.27"	200
LETTER	8.53"/217mm	8.70"	9.58"	9.06"	9.06"	LETTER
11	11"/279mm	11.10"	12.28"	11.51"	11.51"	11
300	11.69"/297mm	11.81"	12.99"	12.24"	12.24"	300
14	14"/356mm	14.16"	15.34"	14.25"	14.25"	14
400	15.61"/397mm	15.74"	16.92"	15.87"	15.87"	400
17	17"/432mm	17.15"	18.69"	17.24"	17.24"	17
500	19.59"/498mm	19.68"	20.86"	19.84"	19.84"	500
22	22"/559mm	22.08"	23.26"	22.24"	22.24"	22
600	23.52"/598mm	23.62"	24.80"	23.78"	23.78"	600
700	27.56"/700mm	27.7"	28.88"	NA	NA	700
800	31.43"/799mm	31.5"	32.68"	NA	NA	800
900	35.4"/899mm	35.5"	36.68"	NA	NA	900
1000	39.31"/999mm	39.37"	40.55"	NA	NA	1000
1100	43.25"/1099mm	43.44"	44.61"	NA	NA	1100
1200	47.19"/1199mm	47.31"	48.49"	NA	NA	1200


Frame Schematic

Deluxe Snap


A **Deluxe Snap** frame is made using 4 rails, each side snaps open individually to allow complete access to change your graphics.



Aluminum End Caps



Four Side Snap Frame



Technical Specifications

Dimension

Width: up to 48"


Height: up to 72"

Frame Width: 2.25


Depth: 15/16" Single Sided

1 3/4" without Illumination Double Sided

2 7/8" with Illumination Double Sided




Double Sided
LED Illumination



Double Sided
No Illumination

Simple Snap



A Simple Snap frame is made using 4 rails, each side snaps open individually to allow easy access to change your graphics.

Consider these as Suspended Signs, With Table Top Stands or in any other traditional format.

Technical Specifications


Dimension

Width: up to 48"

Height: up to 72"

Frame Width: 1.25"

Depth: 5/8" Single Sided




Snap Frames are held together with a corner key that is screwed to the frame. Points are firmly attached at 90 angles.




Magnetic Directory


A Magnetic Directory consists of 2 Deluxe Snap rails and 2 End Caps (size determined by width of Directory)
A steel board serves as the backing for this frame and magnetized aluminum strips become the inserts. Each panel can be removed and are completely interchangeable.



Single Sided Magnetic Directory
With 1/8" Aluminum Panels



Magnetic Tape along entire insert



When using aluminum inserts text can be applied using adhesive clear covers or vinyl

GROUND FLOOR

Pylon



Double Sided Pylons can be built back to back for a slim profile or separated by an aluminum 'U' channel to make it a wide design.

These are supported by a 1/4" steel base that can be floor mounted or free standing.

We can even add wheels for easier maneuverability.


These signs are portrait format and can be faced with a single lens or in a directory style.

Triangle Pylons are built using 3 matching sets of extrusion to create an equilateral triangle.




Wide End Cap

vs.





Slim End Cap



Double Sided or Triangle

Pylon

Wayfinding
Done Right!!




Double Sided or Triangle

Post and Panel

Ideas that Work




Post and Panel is offered in:
Half Round or Square,
with a Flat Insert or Box.



Post and Panel


Post and Panel is the perfect choice for exterior signage. Durable and strong the applications are limitless. These signs can be built single or double sided; as a box frame or in the centre of the extrusion.

eXtensia recommends signage is buried at least 3' below ground. Signs can be submerged in concrete or welded to a base that will be bolted down.



Post and Panel Flat Frame

Square Extrusion is
3" x 2 3/8"



Bar Beam

Runs along top and bottom of panel,
Insert size is 1/8".

Panel

Graphics are applied to 1/8" panel,
Single or double sided.

Carrier Strip

Glued into bar beam then
Slides into post extrusion,



Post and Panel Box Frame

Carrier Strip

Runs along length of extrusion,
'U Channel' is bolted to this.


U Channel

2 1/2" channel encompassing entire frame.

Aluminum Panel

Graphics are applied to 1/8" aluminum panel,
Single sided graphics applied to both sides of "U Channel"

Round Extrusion is
3" x 2 3/8"



Tactile & Braille

Enhance your signs to local government codes by implementing **tactile** graphics & **Raster Braille** to our extruded sign systems or let us custom fabricate a sign to suit your needs. Call or email us your project ideas for a quick quote.

Grade one or Grade II braille translation is available on site. **Tactile** options are bright white or black with custom colours available upon request. **Raster Braille** available in black, brass, clear, stainless steel or white.

Tactile & Braille



Logo & Letter Sets

Custom cut **logos, letter & dimensional signs** are a hallmark of any reception area or building identification.

Send us your unique ideas & let us help you find a solution that meets your budget & design requirements.

We utilize state of the art **C.N.C. router & laser** cutters to process aluminum & acrylic from 1/8" up to 1" thick.

Finishes can be custom paint to your exact colour needs in either the Pantone or Mathew colour systems. Alternatively we can mount Octolux laminate metals to acrylic with edges painted to match for that unique metal look without the cost of actual solid metal.

Acrylic letters with brushed aluminum Octolux face & silver painted edges



Painted acrylic letters on color matched wood backer



Acrylic letter flush mounted to painted backer

Solid aluminum stack laminated painted crest






SIGN SYSTEMS

Clear Cover


Insert



End Caps

Fasteners

Frame



Considerations

When choosing which sign system best fits your needs, **eXtensia** recommends considering a few things first:

Heat: Will signage be located near a source of high heat or under a direct sunlit skylight?

Cold: Will signage be located near a source of extreme cold or extreme temperature changes?

Weather: Rain, Wind, Snow, any form of precipitation.

High Traffic, Dust and Dirt

All of these elements can be overcome by choosing the correct system, plastic or accessories.

We encourage you to discuss these elements with us so we can provide you with the best system for your needs.

Care and Maintenance

eXtensia signs wash up easily with a mild detergent and water.



Scuffs and grease can be rubbed off anodized frames with an eraser.

When cleaning frames ensure water does not seep under to your graphics.



To change graphics, simply remove clear cover with a suction cup.

Extensia International Systems Inc.